

MMPI®-2-RF Scales

Validity

? - Cannot Say (reported as a raw score only, not plotted)
VRIN-r - Variable Response Inconsistency
TRIN-r - True Response Inconsistency
F-r - Infrequent Responses
Fp-r - Infrequent Psychopathology Responses
Fs - Infrequent Somatic Responses
FBS-r - Symptom Validity
RBS - Response Bias Scale
L-r - Uncommon Virtues
K-r - Adjustment Validity

Higher-Order (H-O) and Restructured Clinical (RC)

Higher-Order (H-O)

EID - Emotional/Internalizing Dysfunction
THD - Thought Dysfunction
BXD - Behavioral/Externalizing Dysfunction
RC (Restructured Clinical)
RCd - Demoralization
RC1 - Somatic Complaints
RC2 - Low Positive Emotions
RC3 - Cynicism
RC4 - Antisocial Behavior
RC6 - Ideas of Persecution
RC7 - Dysfunctional Negative Emotions
RC8 - Aberrant Experiences
RC9 - Hypomanic Activation

Somatic/Cognitive and Internalizing

Somatic/Cognitive

MLS - Malaise
GIC - Gastrointestinal Complaints
HPC - Head Pain Complaints
NUC - Neurological Complaints
COG - Cognitive Complaints
Internalizing Scales
SUI - Suicidal/Death Ideation
HLP - Helplessness/Hopelessness
SFD - Self-Doubt
NFC - Inefficacy
STW - Stress/Worry
AXY - Anxiety
ANP - Anger Proneness
BRF - Behavior-Restricting Fears
MSF - Multiple Specific Fears

Externalizing, Interpersonal, and Interest

Externalizing

JCP - Juvenile Conduct Problems
SUB - Substance Abuse
AGG - Aggression
ACT - Activation

Interpersonal Scales

FML - Family Problems
IPP - Interpersonal Passivity
SAV - Social Avoidance
SHY - Shyness
DSF - Disaffiliativeness

Interest Scales

AES - Aesthetic-Literary Interests
MEC - Mechanical-Physical Interests

Personality Psychopathology Five (PSY-5) Scales

AGGR-r - Aggressiveness-Revised
PSYC-r - Psychoticism-Revised

DISC-r - Disconstraint-Revised

NEGE-r - Negative Emotionality/Neuroticism-Revised

INTR-r - Introversion/Low Positive Emotionality-Revised